



## Vantage 14

### Battery Operated Micro Scrubber

- **Patented, Rotating Deck** enables complete scrubbing in both forward and backward directions
- **Full Battery-powered Operation and Onboard Battery Charger** minimizes downtime and guarantees continuous scrubbing performance
- **Compact, Maneuverable Design** allows cleaning in areas with limited space
- **Quiet Operation, at Only 64 dB A,** makes daytime cleaning possible
- **Brush-assisted Operation** minimizes required physical labor, allowing operators to scrub longer

*Combining innovation, reliability and performance, the Clarke Vantage 14 marks a breakthrough in daily scrubbing for small area cleaning*

**Trusted. Reliable. Efficient.**

# Clarke®

# Unique deck, compact design and battery-powered operation deliver superior scrubbing performance



## Patented Rotating Deck

Never skip those hard-to-reach areas again. The Vantage 14's integrated rotating deck enables complete scrubbing in both forward and backward directions, allowing operators to easily clean under and around obstacles. Simply push the machine forward; then when needed, easily flip the machine up to allow the deck to quickly rotate for reverse scrubbing operation. With fast and easy scrubbing and water pick-up in all directions, the Vantage 14 leaves a clean, dry surface to boost your facility's appearance.

## Effortless & Reliable Operation

Employing brush-assisted operation, the Vantage 14 does the hard pushing for you, requiring significantly less physical labor. Adjustable water flow allows you to quickly switch between high or low flow settings, making it easy to tackle the job at hand. Say goodbye to annoying cords and limited scrubbing time and maximize your productivity with the Vantage 14's fully-accessible, maintenance-free battery, which provides up to 100 minutes of scrubbing on a single charge. An onboard battery charger allows operators to charge the machine in any electrical outlet.

## Fast, Simple Maintenance

The Vantage 14's easily-accessible, removable 3 gallon solution and recovery tank can be quickly filled, drained and cleaned away from the machine, ensuring less mess and minimal equipment maintenance. All machine components are accessible without the need for tools—including the squeegee, which features simple, one hand removal. When you're done, simply fold the handle and transport the Vantage 14 to storage.

## Faster, better and easier scrubbing!



### Control Panel

The Vantage 14 offers four operating modes, including:

1. Off
2. Water + Brush
3. Water + Brush + Vacuum
4. Vacuum + Brush

Two adjustable flow rates—low and high—allow operators to easily match diverse application requirements.



### Squeegee System

The Vantage 14 squeegee system provides increased vacuum performance for better water pick-up. The tools-free squeegee can be easily and comfortably removed for cleaning.



### Recovery and Solution Tanks

Easily remove the recovery and solution tank to fill, drain and clean it away from the machine.

# Vantage 14



## Scrub Deck

The Vantage 14's rotating deck allows for both forward and backward scrubbing. Operators can push the machine forward in all directions like a "normal" scrubber. But, if the application requires, operators can quickly flip the machine up, triggering the deck to rotate completely for backward scrubbing performance. The scrub deck efficiently guides the wheels for superior edge cleaning.

| Specifications                                    | Vantage 14                                                                                  |
|---------------------------------------------------|---------------------------------------------------------------------------------------------|
| Model Number                                      | 9087345020                                                                                  |
| Max Speed                                         | 2.5 mph (4 kph)                                                                             |
| Voltage                                           | 12 V                                                                                        |
| IP Protection Class                               | IPX4                                                                                        |
| Isolation Class                                   | III                                                                                         |
| Rated Power                                       | 450 W                                                                                       |
| Brush Motor                                       | 260 W                                                                                       |
| Vacuum Motor                                      | 200 W                                                                                       |
| Vacuum Airflow                                    | 37.7 ft <sup>3</sup> /min (17.8 L/sec)                                                      |
| Vacuum Performance (sealed)                       | 27.7 in (6.9 kPa)                                                                           |
| Sound Pressure Level                              | 64 dB A                                                                                     |
| Maximum Run Time                                  | 1.75 hours                                                                                  |
| Productivity Rate Theoretical / Actual (low/high) | 3,500 ft <sup>2</sup> / 7,000 ft <sup>2</sup> (325 m <sup>2</sup> ) / (650 m <sup>2</sup> ) |
| Scrubbing Width                                   | 14.5 in (37 cm)                                                                             |
| Min. Turn-around Aisle Width                      | 33.5 in (85 cm)                                                                             |
| Water Flow                                        | 0.066 gpm / 0.132 gpm (0.025 Lpm) / (0.5 Lpm)                                               |
| Solution / Recovery Tank                          | 3 gal (11 L)                                                                                |
| Squeegee Width                                    | 18.7 in (47.5 cm)                                                                           |
| Brush Pressure                                    | 60 lb (27 kg)                                                                               |
| Scrub Head Speed                                  | 120 RPM                                                                                     |
| Brush Size                                        | (1) 14.5 in (37 cm)                                                                         |
| Dimensions (L x W x H)                            | 29 in x 17 in x 18 in (73.7 cm x 43.2 cm x 45.7 cm)                                         |
| Battery Compartment Size (L x W x H)              | 13.5 in x 6.5 in x 9.4 in (34.3 cm x 16.5 cm x 23.9 cm)                                     |
| Weight w/o Battery                                | 93 lb (42 kg)                                                                               |
| Operating Weight                                  | 146 lb (66.2 kg)                                                                            |

Specifications are subject to change without notice.



## Applications

- Gas Stations
- Convenience Stores
- Food Service
- Kitchen and Restaurants
- Education Facilities
- Healthcare Facilities
- Retail Stores

## "Green" Benefits

- AGM maintenance-free battery operation

## Safety Features

- Safety switch prevents machine from starting unexpectedly
- Quiet operation

## Accessories

- Squeegee kit
- Blade squeegee kit
- Multiple brushes available
- Multiple pads available
- Pad holder

# Clarke®

9435 Winnetka Avenue North  
Brooklyn Park, MN 55445  
Phone: 800.253.0367  
Fax: 800.825.2753  
www.clarkeus.com

240 Superior Boulevard  
Mississauga, Ontario, Canada L5T 2L2  
Phone: 800.668.8400  
Fax: 800.263.5111  
www.nilfisk-advance.ca